




Mercedes Benz E Class


W211 03/2002-04/2009
S211 03/2003-04/2009

Mercedes Benz C Class

Class W203 06/2000-
Class C203 03/2001-
Class S203 03/2001-
Class CL203 06/2008-
Class C209 05/2002-
Class A209 05/2003-





Partnr.: MB-074-D1U



- Fitting instructions electric wiring kit tow bar with 13-P socket up to DIN/ISO Norm 11446.
- We would expressly point out that assembly not carried out properly by a competent installer will result in cancellation of any right to damage compensation, in particular those arising by virtue of the product liability act.
- Contents of these kits and their fitting manuals are subject to alteration without notice, please ensure that these instructions are read and fully understood before commencing installation.
- Do not overload circuits; the maximum loads per connection are detailed in this manual.
- Attention! Before Installation, please read this manual carefully and inform your customer to consult the vehicle owners manual to check for any vehicle modifications required before towing.
- In the event of functional problems, troubleshooting must be limited to about 0.5 hours, contact the technical support:
ukts@ecs-electronics.com / 07440 202 052.



Part list



G↓

L2



M

1x





L1

5x



X


X




M

1x

T



3x



1x




15 Amp.

1x



20 Amp.


3x



3x




L3




L4






10x






1






A


Option 1



Option 2




Option 3



INFO


SOCKET CONNECTION




Page 10

B

Option 1







C

Option 2


1




2



3




4




D

Option 3


1




2




3




4




4




SAM




1



2




CANBUS



3


1



L1

pos.1


2



L1

pos.2


3




L1

54 STOP
pos.5

4




5




5


1






2




3




4




6





7




Option 1




Important!
Please do not mount the
fuse tap and its wiring output
in the other direction!





8



Option 2




1




Important!
Please do not mount the
fuse tap and its wiring output
in the other direction!

9




10



Option 1

Manual PDC





P
OFF




Option 2

Auto PDC



11

Functional test**WARNING****LIGHT MATE®****ECS** part no.**LIGHTMATE II**
LIGHTMATE III











12

**User guide****TECHNICAL
SUPPORT****CALL
07440
202
052****ECS
ELECTRONICS**MONDAY TO FRIDAY
08.00 - 11.00 am
12.00 - 05.00 pm
uks@ecs-electronics.com
www.ecs-electronicsuk.co.uk

SOCKET CONNECTION



SOCKET CONNECTION

DIN/ISO 11446													
	1/L	2	3/31	4/R	5/58-R	6/54	7/58-L	8	9	10	11	12	13
Pmax	21W	2x21W		21W	52W	3x21W	52W	2x21W	180W/15Amp	180W/15Amp			
Colour	Yellow	Blue	White	Green	Brown	Red 1,00 mm²	Black	Black/ Red	Brown/ White	Red 2,50 mm²	White	-	White