

+REC (Rear Electric Centre)

Opel Zafira 2005- / Opel Astra H Stationwagon 2004-Opel Astra H GTC 2004- / Opel Astra H 5 Drs. 2004-



- Fitting instructions electric wiring kit tow bar with 13-P socket up to DIN/ISO Norm 11446.
- We would expressly point out that assembly not carried out properly by a competent installer will resultin cancellation of any right to damage compensation, in particular those arising by virtue of the product liability act.
- Contents of these kits and their fitting manuals are subject to alteration without notice, please ensure that these instructions are read and fully understood before commencing installation.


• Do not overload circuits; the maximum loads per connection are detailed in this manual.

- Attention! Before Installation, please read this manual carefully and inform your customer to consult the vehicle owners manual to check for any vehicle modifications required before towing.
- In the event of functional problems, troubleshooting must be limited to about 0.5 hours, contact the technical support:


t.skinner@ecs-electronics.com / 07440 202 052.




Part list





© ECS Electronics B.V. Pag. 2 OP-034-DHU / 121215TT






© ECS Electronics B.V. Pag. 3 OP-034-DHU / 121215TT








© ECS Electronics B.V. Pag. 4 OP-034-DHU / 121215TT














Astra H 5 Drs.










© ECS Electronics B.V. Pag. 5 OP-034-DHU / 121215TT













© ECS Electronics B.V. Pag. 6 OP-034-DHU / 121215TT









© ECS Electronics B.V. Pag. 7 OP-034-DHU / 121215TT




© ECS Electronics B.V. Pag. 8 OP-034-DHU / 121215TT




Zafira



© ECS Electronics B.V. Pag. 9 OP-034-DHU / 121215TT






TEST ALL THE CIRCUITS WITH A TEST DEVICE WITH THE CORRECT POWER LOAD FOR EACH FUNCTION. A TEST DEVICE WITH LED'S CANNOT BE USED FOR THIS PURPOSE.


15 ľ

© ECS Electronics B.V. Pag. 10 OP-034-DHU / 121215TT



INFO

REINSTALL TRIM.





INFO

SOCKET CONNECTION

DIN/ISO	4	♣ ()≢	<u>-</u> 1-8	\Diamond	-\̈́\.	STOP	- - -	Reverse 0	30+	15 9°6	<u></u> 10		<u></u> 9
11446	1/L	2	3/31	4/R	5/58-R	6/54	7/58-L	8	9	10	11	12	13
Pmax	21W	2x21W		21W	52W	3x21W	52W	2x21W	180W/15Amp	180W/15Amp			
Colour	Yellow	Blue	White	Green	Brown	Red 1,00 mm ²	Black	Black/ Red	Brown/ White	Red 2,50 mm ²	White	1	White

© ECS Electronics B.V. Pag. 11 OP-034-DHU / 121215TT