





- Fitting instructions electric wiring kit tow bar with 12-N socket up to DIN/ISO Norm 1724.
- We would expressly point out that assembly not carried out properly by a competent installer will resultin cancellation of any right to damage compensation, in particular those arising by virtue of the product liability act.
- Contents of these kits and their fitting manuals are subject to alteration without notice, please ensure that these instructions are read and fully understood before commencing installation.
- Do not overload circuits; the maximum loads per connection are detailed in this manual.
- Attention! Before Installation, please read this manual carefully and inform your customer to consult the vehicle owners manual to check for any vehicle modifications required before towing.
- In the event of functional problems, troubleshooting must be limited to about 0.5 hours, contact the technical support: ukts@ecs-electronics.com / 07440 202 052.





Part list




© ECS Electronics B.V. Pag. 2 FR-028-BLU / 020216TT










© ECS Electronics B.V. Pag. 3 FR-028-BLU / 020216TT











© ECS Electronics B.V. Pag. 4 FR-028-BLU / 020216TT


















© ECS Electronics B.V. Pag. 5 FR-028-BLU / 020216TT













© ECS Electronics B.V. Pag. 6 FR-028-BLU / 020216TT












© ECS Electronics B.V. Pag. 7 FR-028-BLU / 020216TT







17

TEST ALL THE CIRCUITS WITH A TEST DEVICE WITH THE CORRECT POWER LOAD FOR EACH FUNCTION. A TEST DEVICE WITH LED'S CANNOT BE USED FOR THIS PURPOSE.

INFO

REINSTALL TRIM.

© ECS Electronics B.V. Pag. 8 FR-028-BLU / 020216TT





INFO

SOCKET CONNECTION

DIN/ISO	\(\frac{1}{2}\)	◆ ()‡	<u> </u> 1-7	♦	- <u>'</u> Ö-	STOP	-¦Ḉ-
1724	1/L	2	3/31	4/R	5/58-R	6/54	7/58-L
Pmax	21W	2x21W		21W	52W	3x21W	52W
Colour	Yellow	Blue	White	Green	Brown	Red	Black

© ECS Electronics B.V. Pag. 8 FR-028-BLU / 020216TT