


Daily Van 06/2014 >> Daily Chassis Cab & Pick up 06/2014 >> eDaily Van 07/2023 >> eDaily Chassis Cab & Pick up 07/2023 >>







- Fitting instructions electric wiring kit tow bar with 13-P socket up to DIN/ISO Norm
- We would expressly point out that assembly not carried out properly by a competent installer will resultin cancellation of any right to damage compensation, in particular those arising by virtue of the product liability act.
- Contents of these kits and their fitting manuals are subject to alteration without notice, please ensure that these instructions are read and fully understood before commencing installation.
- Do not overload circuits; the maximum loads per connection are detailed in this manual.
- Attention! Before Installation, please read this manual carefully and inform your customer to consult the vehicle owners manual to check for any vehicle modifications required before towing.
- In the event of functional problems, troubleshooting must be limited to about 0.5 hours, contact the technical support: ukts@ecs-electronics.com / 07440 202 052.




Part list





© ECS Electronics B.V. Page 2 IV-005-DLU / 051223TT








© ECS Electronics B.V. Page 3 IV-005-DLU / 051223TT















© ECS Electronics B.V. Page 4 IV-005-DLU / 051223TT












© ECS Electronics B.V. Page 5 IV-005-DLU / 051223TT







1




2





© ECS Electronics B.V. Page 7 IV-005-DLU / 051223TT




6

TEST ALL THE CIRCUITS WITH A TEST DEVICE WITH THE CORRECT POWER LOAD FOR EACH FUNCTION. A TEST DEVICE WITH LED'S CANNOT BE USED FOR THIS PURPOSE.

INFO

REINSTALL TRIM.





INFO

SOCKET CONNECTION

	DIN/ISO	\	◆ ()≢	<u></u> 1-8	\Rightarrow	-\̈́\-	STOP	-\\[-\]	Reverse 0	30+	15 9° L	<u>-</u> 10		<u></u> 9
	11446	1/L	2	3/31	4/R	5/58-R	6/54	7/58-L	8	9	10	11	12	13
	Pmax	21W	2x21W		21W	52W	3x21W	52W	2x21W	180W/15Amp	180W/15Amp			
(Colour	Yellow	Blue	White	Green	Brown	Red 1,00 mm ²	Black	Black/ Red	Brown/ White	Red 2,50 mm ²	White	Red/ Blue	White

© ECS Electronics B.V. Page 8 IV-005-DLU / 051223TT