


Renault Clio IV **11/2012 >> 08/2019**
Renault Clio IV Grandtour **04/2013 >>**
Renault Captur **05/2013 >> 11/2019**



Partnr.: RN-122-DXU

• Fitting instructions electric wiring kit tow bar with 13-P socket up to DIN/ISO Norm 11446.

• We would expressly point out that assembly not carried out properly by a competent installer will resultin cancellation of any right to damage compensation, in particular those arising by virtue of the product liability act.

• Contents of these kits and their fitting manuals are subject to alteration without notice, please ensure that these instructions are read and fully understood before commencing installation.


• Do not overload circuits; the maximum loads per connection are detailed in this manual.


• Attention! Before Installation, please read this manual carefully and inform your customer to consult the vehicle owners manual to check for any vehicle modifications required before towing.

• In the event of functional problems, troubleshooting must be limited to about 0.5 hours, contact the technical support: t.skinner@ecs-electronics.com / 07440 202 052.




Part list


OPTION
BACKUP
M
B
U1
X
L2
L1
OPTION
+30/+15
G
M
2x
B
T2
10x
3x
X
T1
OPTION
+30/+15
preparation for
+30
Brown/White
+15
Red
OPTION BACKUP
preparation for
Reverse


3x
2x
1x
3x
3x
1x
20 Amp. minifuse
1x


Clio IV

ROUTING




Clio IV Grandtour

ROUTING




Captur

ROUTING




All Models

1





Clio IV

2




3






Clio IV


4







Clio IV Grandtour

5




6







Clio IV Grandtour

7




8





Captur


9




Captur

10

1




2




All Models

A


Option 1



Option 2



Option 3




INFO


SOCKET CONNECTION

Pag. 17

B


Option 1






C

Option 2




D


Option 3



11




12





© ECS Electronics B.V.

Clio IV / Captur

13









Clio IV Grandtour


14







Clio IV / Clio IV Grandtour


15









1. Remove tape.




Captur

16






1. Remove tape.




All models

17




18




Clio IV / Clio IV Grandtour

19




20





54 STOP


PIN 24


21





















22


CANBUS OPTION 1















© ECS Electronics B.V.


23



1
L1
L1
2
1






2
54 STOP
PIN 24



3
Red/Blue
L1
54 STOP



4
L1
54 STOP


24
25


5
PIN 25



6



7
Blue
L1
Grey



1
2x
2
2x
3


24


CANBUS OPTION 1













25

CANBUS OPTION 2

1




2



26


CANBUS OPTION 2



All models


27


CANBUS OPTION 2





28


CANBUS OPTION 2












Clio IV / Clio IV Grandtour

29


Clio IV


Clio IV Grandtour

Captur



20 Amp. minifuse






20 Amp. minifuse


All Models


30



Clio IV / Clio IV Grandtour

INFO







Captur


INFO


Option 1





Option 2





Optional SP-238-ZZ

Consult your supplier.


31

TEST ALL THE CIRCUITS WITH A TEST DEVICE WITH THE CORRECT POWER LOAD FOR EACH FUNCTION. A TEST DEVICE WITH LED'S CANNOT BE USED FOR THIS PURPOSE.

INFO

REINSTALL TRIM.

32



User guide



INFO

SOCKET CONNECTION

DIN/ISO 11446	⇦	🚗≡	≡→🚗≡	⏚1-8	⇨	☼	STOP	☼	Reverse	30+	15+	⏚10	—	⏚ 9
	1/L	2	2a	3/31	4/R	5/58-R	6/54	7/58-L	8	9	10	11	12	13
Pmax	21W	2x21W			21W	25W	47W	25W	2x21W	180W/15Amp	180W/15Amp			
Colour	Yellow	Blue	Grey	White	Green	Brown	Red 1,00 mm²	Black	Black/ Red	Brown/ White	Red 2,50 mm²	White	-	White