








Ssang Yong Rodius 02/2014-

Partnr.: SY-009-DHU

• Fitting instructions electric wiring kit tow bar with 13-P socket up to DIN/ISO Norm 11446.

• We would expressly point out that assembly not carried out properly by a competent installer will resultin cancellation of any right to damage compensation, in particular those arising by virtue of the product liability act.

• Contents of these kits and their fitting manuals are subject to alteration without notice, please ensure that these instructions are read and fully understood before commencing installation.


• Do not overload circuits; the maximum loads per connection are detailed in this manual.


• Attention! Before Installation, please read this manual carefully and inform your customer to consult the vehicle owners manual to check for any vehicle modifications required before towing.


• In the event of functional problems, troubleshooting must be limited to about 0.5 hours, contact the technical support: t.skinner@ecs-electronics.com / 07440 202 052.





Part list







































ROUTING







1



2




3




A


Option 1



Option 2



Option 3




INFO


SOCKET CONNECTION

Pag. 12

B


Option 1








C

Option 2













D

Option 3












4







5




6




7




8




9




10




11




12




13




14


Blue
Red/Yellow
O
1
2
O
Blue
Grey


15



1
2
Red/Green
Reverse
Red/Green
Reverse
1
2
PDC

16



Red/Green
Reverse
Green/Red
O
1
2
O
Red/Green
PARK DISTANCE CONTROL
PARK DISTANCE CONTROL
Blue/Black


17






18







Option 1





1



2









3


Option 2





1



2








3

19




20

TEST ALL THE CIRCUITS WITH A TEST DEVICE WITH THE CORRECT POWER LOAD FOR EACH FUNCTION. A TEST DEVICE WITH LED'S CANNOT BE USED FOR THIS PURPOSE.

INFO

REINSTALL TRIM.

21



User guide



INFO

SOCKET CONNECTION

DIN/ISO 11446			⏚1-8								⏚10	—	⏚ 9
	1/L	2	3/31	4/R	5/58-R	6/54	7/58-L	8	9	10	11	12	13
Pmax	21W	2x21W		21W	52W	3x21W	52W	2x21W	180W/15Amp	180W/15Amp			
Colour	Yellow	Blue	White	Green	Brown	Red 1,00 mm²	Black	Black/ Red	Brown/ White	Red 2,50 mm²	White	-	White